

MATERIAL SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Identification of the substance/preparation

53464 Black Pigment

Use of the

Inkjet printing

substance/preparation

23-Feb-2023

Issue date Version #

01

CAS #

Mixture

Company identification

Primera Technology

Two Carlson Parkway North

Suite 375

Plymouth, MN 55447

-

Health effects line

(Toll-free within the US) 1-800-457-4209

(Direct) 1-760-710-0048 Customer Care Line

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551 Email: support@primera.com

2. HAZARDS IDENTIFICATION

GHS label elements

Signal wordNone.Hazard symbolsNone.Hazard statementNone.

Precautionary statement

PreventionNone.ResponseNone.StorageNone.DisposalNone.

Physical hazardsNot classified as a physical hazard.Health hazardsNot classified as a health hazard.

Environmental hazards Not classified as an environmental hazard.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS #	Percent	EC-No.	Classification
Water	7732-18-5	70-80	231-791-2	
2-pyrrolidone	616-45-5	< 15	210-483-1	Xi;R36
Cyclo Amide	Proprietary	< 10	Proprietary	
Carbon black	1333-86-4	< 5	215-609-9	

Composition comments This ink supply contains an aqueous ink formulation.

For the full text of the R phrases mentioned in this Section, see Section 16. Carbon black is present only in a bound form in this preparation.

4. FIRST AID MEASURES

Inhalation Remove to fresh air. If symptoms persist, get medical attention.

Material name: 53464 Black MSDS COLOMBIA

Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

Ingestion If ingestion of a large amount does occur, seek medical attention.

5. FIRE-FIGHTING MEASURES

Flash point > 230.0 °F (> 110.0 °C) Pensky-Martens Closed Cup

Suitable extinguishing media For small (incipient) fires, use media such as foam, sand, dry chemical, or carbon dioxide.

For large fires use very large (flooding) quantities of water and/or foam, applied as a mist or spray.

Extinguishing media which must not be used for safety

None known.

reasons

Unusual fire & explosion hazards

None known.

Specific methods
Hazardous combustion

None established.

products

Refer to section 10.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Wear appropriate personal protective equipment.

Environmental precautions Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Methods for cleaning up Soak up with inert absorbent material.

7. HANDLING AND STORAGE

Handling Avoid contact with skin, eyes and clothing.

Storage Keep out of the reach of children. Keep away from excessive heat or cold.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limits

Colombia. OELs. Resolution No. 02400: Norms Concerning Working Conditions, Health and Safety in the

Workplace

ComponentsTypeValueFormCarbon black (CAS
1333-86-4)TWA3 mg/m3Inhalable fraction.

US. ACGIH Threshold Limit Values

ComponentsTypeValueFormCarbon black (CAS
1333-86-4)TWA3 mg/m3Inhalable fraction.

Biological limit values No biological exposure limits noted for the ingredient(s).

Recommended monitoring procedures

Additional exposure data Exposure limits have not been established for this product.

Engineering measures to

reduce exposure

Use in a well ventilated area.

Personal protective equipment

Skin and body protection Not available.

General Use personal protective equipment to minimize exposure to skin and eye. **Hygiene measures** Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical state Liquid.
Color Black.

Odor Not available.

pH 7.5 - 9

Material name: 53464 Black

MSDS COLOMBIA

Melting point/Freezing point Not available. Boiling point, initial boiling Not available.

point, and boiling range

> 230.0 °F (> 110.0 °C) Pensky-Martens Closed Cup

Auto-ignition temperature Not available. Flammability limit - lower

(%)

Flash point

Not available.

Flammability limit - upper

(%)

Not available.

Vapor pressure Not available. Not available. Specific gravity

Solubility(ies)

Solubility (water) Not available. **Partition coefficient** Not available. (n-octanol/water)

Decomposition temperature

Not available.

Other data

Oxidizing properties Not determined VOC (Weight %) < 229 g/L

10. STABILITY AND REACTIVITY

Conditions to avoid Not available.

Hazardous decomposition

products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon

dioxide and/or low molecular weight hydrocarbons. Stable under recommended storage conditions.

Stability Materials to avoid Incompatible with strong bases and oxidizing agents.

Hazardous polymerization Will not occur.

11. TOXICOLOGICAL INFORMATION

Acute toxicity Based on available data, the classification criteria are not met. Skin corrosion/irritation Based on available data, the classification criteria are not met. Serious eye damage/eye Based on available data, the classification criteria are not met.

irritation

Respiratory or skin sensitization

Skin sensitization Based on available data, the classification criteria are not met. **Respiratory sensitization** Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met.

> Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation.

Colombia. OELs. Resolution No. 02400: Norms Concerning Working Conditions, Health and Safety in the Workplace

Carbon black (CAS 1333-86-4) A3 Animal carcinogen.

IARC Monographs. Overall Evaluation of Carcinogenicity

Carbon black (CAS 1333-86-4) 2B Possibly carcinogenic to humans.

Germ cell mutagenicity Based on available data, the classification criteria are not met. Toxic to reproduction Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Specific target organ toxicity

- single exposure

Based on available data, the classification criteria are not met.

- repeated exposure

Specific target organ toxicity

Aspiration hazard Based on available data, the classification criteria are not met.

Material name: 53464 Black MSDS COLOMBIA **Other information** Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

Toxicological data

Components Species Test Results

2-pyrrolidone (CAS 616-45-5)

Acute

Oral

LD50 Guinea pig 6500 mg/kg

Rat 6500 mg/kg

Carbon black (CAS 1333-86-4)

Acute Oral

LD50 Rat > 8000 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicological data

Components Species Test Results

2-pyrrolidone (CAS 616-45-5)

Aquatic

Crustacea EC50 Water flea (Daphnia pulex) 13.21 mg/l, 48 hours

Ecotoxicity This product has not been tested for ecological effects.

Environmental effectsNot available. **Persistence / degradability**Not available.

Bioaccumulation

Bioaccumulative potential

Octanol/water partition coefficient log Kow

2-pyrrolidone -0.85

Aquatic toxicity This product has not been tested for ecological effects.

Mobility Not available.

13. DISPOSAL CONSIDERATIONS

Disposal instructions Do not allow this material to drain into sewers/water supplies.

Dispose of waste material according to Local, State, Federal, and Provincial Environmental

Regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is

available in your location, please visit http://www.hp.com/recycle.

14. TRANSPORT INFORMATION

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. REGULATORY INFORMATION

Labeling

R-phrase(s) None.

S-phrase(s) S24/25 Avoid contact with skin and eyes.

Material name: 53464 Black MSDS COLOMBIA

Regulatory information

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

Kyoto protocol

Not applicable.

Montreal Protocol

Not applicable.

Rotterdam Convention

Not applicable.

Stockholm Convention

Not applicable.

16. OTHER INFORMATION

Wording of the R-phrases in sections 2 and 3

R36 Irritating to eyes.

Disclaimer

This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and

may not meet regulatory requirements in other countries.

Prepared by Hewlett-Packard Company

Issue date 23-Feb-2023

Version # 01

This data sheet contains changes from the previous version in section(s):

1. Product and Company Identification: Alternate Trade Names

Composition / Information on Ingredients: Ingredients Physical & Chemical Properties: Multiple Properties

Manufacturer information Hewlett-Packard Company

3000 Hanover Street

Palo Alto, California 94304-1112 US

Direct 1-650-857-5020

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: 53464 Black MSDS COLOMBIA

11120 Version #: 01 Issue date: 23-Feb-2023