

# **MATERIAL SAFETY DATA SHEET**

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Identification of the substance/preparation

53463 Yellow Pigment

Use of the

substance/preparation

Inkjet printing

Issue date

23-Feb-2023

Version #

01

CAS#

Mixture

**Company identification** 

Primera Technology

Two Carlson Parkway North

Suite 375

Plymouth, MN 55447

Health effects line

(Toll-free within the US) 1-800-457-4209

(Direct) 1-760-710-0048 Customer Care Line

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551 Email: support@primera.com

#### 2. HAZARDS IDENTIFICATION

**GHS label elements** 

Signal wordNone.Hazard symbolsNone.Hazard statementNone.

**Precautionary statement** 

PreventionNone.ResponseNone.StorageNone.DisposalNone.

Physical hazardsNot classified as a physical hazard.Health hazardsNot classified as a health hazard.

**Environmental hazards** Not classified as an environmental hazard.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS#	Percent	EC-No.	Classification
Water	7732-18-5	70-80	231-791-2	
1-(2-hydroxyethyl)-2-pyrrolidone	3445-11-2	< 10	222-359-4	
2-pyrrolidone	616-45-5	< 7.5	210-483-1	Xi;R36
Aliphatic diol	Proprietary	< 5	Proprietary	
Yellow colorant	Proprietary	< 5	Proprietary	

**Composition comments** This ink supply contains an aqueous ink formulation.

For the full text of the R phrases mentioned in this Section, see Section 16.

Material name: 53463 Yellow MSDS COLOMBIA

#### 4. FIRST AID MEASURES

**Inhalation** Move to fresh air. If symptoms persist, get medical attention.

**Skin contact** Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

**Eye contact** Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

**Ingestion** If ingestion of a large amount does occur, seek medical attention.

**General advice** Wash affected areas thoroughly with mild soap and water.

#### 5. FIRE-FIGHTING MEASURES

Flash point > 212.0 °F (> 100.0 °C) Pensky-Martens Closed Cup US EPA Method 1020

Dry chemical, CO2, water spray or regular foam.

Suitable extinguishing media

Extinguishing media which must not be used for safety

reasons

None known.

**Unusual fire & explosion** 

hazards

None known.

**Specific methods**None established. **Hazardous combustion**Refer to section 10.

products

### 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions** Wear appropriate personal protective equipment.

**Environmental precautions** Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

### 7. HANDLING AND STORAGE

**Handling** Avoid contact with skin, eyes and clothing.

**Storage** Keep out of the reach of children. Keep away from excessive heat or cold.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Occupational exposure limits** No exposure limits noted for ingredient(s).

**Biological limit values**No biological exposure limits noted for the ingredient(s).

**Recommended monitoring procedures** 

**Additional exposure data** Exposure limits have not been established for this product.

**Engineering measures to** 

reduce exposure

Use in a well ventilated area.

Personal protective equipment

**Skin and body protection** Not available.

**General**Use personal protective equipment to minimize exposure to skin and eye. **Hygiene measures**Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** 

Physical stateLiquid.ColorYellow

Odor
 PH
 8.5 - 9.5
 Melting point/Freezing point
 Boiling point, initial boiling
 Not available.

point, and boiling range

Flash point > 212.0 °F (> 100.0 °C) Pensky-Martens Closed Cup US EPA Method 1020

Auto-ignition temperature Not available.

Flammability limit - lower Not available.

(%)

Material name: 53463 Yellow MSDS COLOMBIA

12094 Version #: 01 Issue date: 23-Feb-2023

Flammability limit - upper

(%)

Not available.

Vapor pressure Specific gravity Not available. Not available.

Solubility(ies)

Solubility (water) **Partition coefficient** 

Not available. Not available.

**Decomposition temperature** 

Not available.

**Viscosity** 

(n-octanol/water)

3.2 - 3.3 cP

Other data

VOC (Weight %) < 297 g/L

#### 10. STABILITY AND REACTIVITY

Conditions to avoid Not available.

**Hazardous decomposition** 

products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon

dioxide and/or low molecular weight hydrocarbons.

**Stability** Stable under recommended storage conditions. Materials to avoid Incompatible with strong bases and oxidizing agents.

**Hazardous polymerization** Will not occur.

#### 11. TOXICOLOGICAL INFORMATION

**Acute toxicity** Based on available data, the classification criteria are not met. Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/eye

irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitization

Skin sensitization Based on available data, the classification criteria are not met. **Respiratory sensitization** Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met. Germ cell mutagenicity Based on available data, the classification criteria are not met. **Toxic to reproduction** Based on available data, the classification criteria are not met. Specific target organ toxicity Based on available data, the classification criteria are not met.

- single exposure

Specific target organ toxicity

Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

Complete toxicity data are not available for this specific formulation Other information

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

Toxicological data

- repeated exposure

Components	Species	Test Results		
2-pyrrolidone (CAS 616-45	i-5)			
Acute				
Oral				
LD50	Guinea pig	6500 mg/kg		
	Rat	6500 mg/kg		
Aliphatic diol (CAS Propriet	tary)			
Acute				
Dermal				
LD50	Rabbit	> 10000 mg/kg		
Oral				
LD50	Rat	3730 mg/kg	3730 mg/kg	

Material name: 53463 Yellow MSDS COLOMBIA

12094 Version #: 01 Issue date: 23-Feb-2023

Components Species Test Results

Other

LD50 Mouse 1738 mg/kg

### 12. ECOLOGICAL INFORMATION

**Ecotoxicological data** 

Components Species Test Results

2-pyrrolidone (CAS 616-45-5)

**Aquatic** 

Crustacea EC50 Water flea (Daphnia pulex) 13.21 mg/l, 48 hours

**Ecotoxicity** No information available.

This product is highly soluble in water.

**Environmental effects**Not available. **Persistence / degradability**Not available.

**Bioaccumulation** 

**Bioaccumulative potential** 

Octanol/water partition coefficient log Kow

2-pyrrolidone -0.85
Aliphatic diol -0.106

Aquatic toxicity No data available for this product.

**Mobility** Not available.

## 13. DISPOSAL CONSIDERATIONS

**Disposal instructions** Do not allow this material to drain into sewers/water supplies.

Dispose of waste material according to Local, State, Federal, and Provincial Environmental

Regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

#### 14. TRANSPORT INFORMATION

DOT

Not regulated as dangerous goods.

**IATA** 

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

**ADR** 

Not regulated as dangerous goods.

**Further information** Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

# 15. REGULATORY INFORMATION

Labeling

**R-phrase(s)** None. **S-phrase(s)** None.

**Regulatory information**All chemical substances in this HP product have been notified or are exempt from notification under

chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and

China.

Kyoto protocol

Not applicable.

**Montreal Protocol** 

Not applicable.

Material name: 53463 Yellow MSDS COLOMBIA

#### **Rotterdam Convention**

Not applicable.

#### **Stockholm Convention**

Not applicable.

### 16. OTHER INFORMATION

Wording of the R-phrases in

sections 2 and 3

R36 Irritating to eyes.

Disclaimer

This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and

may not meet regulatory requirements in other countries.

**Prepared by** Hewlett-Packard Company

Issue date 23-Feb-2023

Version # 01

This data sheet contains changes from the previous version in section(s):

1. Product and Company Identification: Alternate Trade Names

Composition / Information on Ingredients: Ingredients Physical & Chemical Properties: Multiple Properties

GHS: Classification

Manufacturer information Hewlett-Packard Company

3000 Hanover Street

Palo Alto, California 94304-1112 US

Direct 1-650-857-5020

### **Explanation of abbreviations**

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

**COC** Cleveland Open Cup

**DOT** Department of Transportation

**EPCRA** Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

**PEL** Permissible Exposure Limit

**RCRA** Resource Conservation and Recovery Act

**REC** Recommended

**REL** Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

**STEL** Short-Term Exposure Limit

**TCLP** Toxicity Characteristics Leaching Procedure

**TLV** Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: 53463 Yellow MSDS COLOMBIA